



C-series		Prices from (€)
	<b>C-line Analogue RCA</b> Yearly What Hi-Fi? award winner from 2015 to 2022! Oxygen-free copper multi-stranded conductors (signal, return and ARAY). High flexibility, low density conductor insulation. Over-wrapped foil shielding. Over-moulded Chord RCA plugs with direct gold-plated contact areas for enhanced signal transfer. Turntable compatible.	0.5m: 65,00 1m: 85,00 2m: 115,00 3m: 145,00
	<b>C-jack</b> The Chord C-Jack is designed to work with all line-level components: Mp3 players, mobile phones, laptops, CD players, streaming devices & amplifiers. This cable benefits from the same design principles as the award winning C-Line analogue interconnect cable. Available as 3.5mm mini-jack to 3,5mm mini-jack and 2RCA to mini-jack 3.5mm.	0.75m: 75,00 1.5m: 100,00 3m: 150,00
	<b>C-sub RCA subwoofer</b> Discreet, multi-strand, tinned copper signal conductor, with low resistance to enable longer lengths. Overlapped screen for increased flexibility, reducing signal loss caused by high-frequency interference. Unique gold plating on RCA plug improves signal transfer. Over-moulded plug surround provides a high reliability connection.	3m: 75,00 6m: 120,00 8m: 150,00 10m: 180,00
K C	<b>C-digital RCA</b> ARAY conductor geometry, oxygen free copper conductors. High density over-wrapped foil shielding. Unique direct gold-plated RCA plug improves signal transfer. Over-moulded plug surround provides high reliability and zero conductor compression.	0.5m: 65,00 1m: 80,00
	<b>C-lite optical</b> From pocket-size portable up to longer lengths for use in home systems. Wide bandwidth PMA optical cable with polished ends to improve bandwidth. Central conductor protected by soft PVC internal jacket, with a hard PVC outer jacket limiting crush damage, yet flexible enough to allow a tight bend radius without affecting the light-carrier. Available: Toslink to Toslink, Toslink to mini-jack (all lengths) and mini-jack to mini- jack (15cm and 30cm only).	15cm: 76,00 30cm: 78,00 1m: 82,00 2m: 88,00 3m: 94,00 5m: 106,00 8m: 124,00 10m: 136,00
Res 1	<b>C-USB</b> Heavy gauge, oxygen-free, silver-plated conductors. Low loss, gas-foamed polyethylene insulation. Twisted pair data conductor configuration. Dual layer, high frequency effective shielding. Gold-plated plug and signal pins. USB-A to USB B	0.75m: 75,00 1.5m: 100,00 3m: 150,00 5m: 210,00
	<b>C-stream</b> For audio streaming systems requiring cables with RJ45 connectors. Oxygen-free copper conductors with low density polyethylene insulation, each conductor pair is separately shielded and an overall high density foil shield is applied prior to a vibration-damping outer jacket.	0.75m: 80,00 1.5m: 90,00 3m: 110,00 5m: 140,00 10m: 220,00 15m: 300,00 20m: 380,00
	<b>C-view HDMI</b> The C-view HDMI cable is a cost-effective, high-performance display con- nection featuring heavily-shielded copper conductors and is available in lengths of 0.75m, 1m, 1.5m, 2m and 3m. C-view HDMI benefits from a 48GBps bandwidth with a resolution of 8k at 60hz or 4k at 120hz. It supports Dynamic HDR, HDCP2.3, eARC, 3D and all HDMI audio formats. Chord Company C-view HDMI is a certified Ultra High Speed HDMI cable.	0.75m: 50,00 1m: 55,00 1.5m: 60,00 2m: 65:00 3m: 75.00
	<b>C-ScreenX speaker cable</b> A discreet and easy to fit cable, but with the performance benefits of shielding. C-screen X is just 7mm in diameter and flexible enough to route around corners with ease. Now featuring improved XLPE insulation, it joins the award-winning line-up of Chord Company shielded speaker cables.	2m pair 4 mm banana : 206,00 3m pair 4mm banana : 239,00 Extra mono meter: 16,50 Spades €6 / piece extra





Clearway		Prices from (€)
	ClearwayX Analogue 2RCA/DIN/4DIN/2RCA-2XLR/3.5mm Clearway is hand built in the UK. Clearway features our latest enhanced ARAY geometry and shielding systems. Now featuring XLPE insulation and ChorAlloy™plated VEE 3 RCA, DIN, mini-jack or XLR connectors. A great all-rounder, consistently well reviewed by the hi-fi press. What Hi-Fi? Award Winner 2017, 2018, 2019, 2020, 2021 and 2022 – Best Analogue Interconnect £100+.	0.5m: 135,00 1m: 165,00 Extra m: 65,00 T/table fly lead 1.2m: 230,00
	ClearwayX subwoofer RCA The same award-winning Clearway specification and ARAY geometry. Ideal subwoofer cable for mid-range surround/multi-channel systems. Fitted with ChorAlloy™ plated Chord VEE 3 RCA plugs and upgraded with the latest XLPE-insulation . Custom terminations and lengths available.	3m: 145,00 5m: 205,00 Extra m: 35,00
5000	ClearwayX Analogue XLR Clearway analogue XLR pair is fitted with Neutrik plugs containing Chord Company ChorAlloy™ plated connector pins and features our unique ARAY conductor configuration. The design benefits from identical conductors for the hot, cold and earth connections.	0.5m: 210,00 1m: 240,00 Extra m: 65,00
0	Clearway Digital Coax RCA / RCA-Mini-jack / BNC Tuned ARAY conductor configuration. Clearway Digital is fitted with ChorAlloy™ plated Chord Company VEE 3 RCA plugs, BNC connectors and/or mono mini-jacks to suit mini/portable DACs etc.	0.5m RCA/mini-jack: 135,00 1m RCA/mini-jack: 165,00 1m BNC-BNC: 165,00 Extra m: 65,00 1m 2BNC-Minijack (M Scaler): 330,00
	Clearway USB The enhanced shield design employs double foil and high-density braid giving extra protection for the signal transfer and reducing the transmission of noise between the connected components. Like the other cables in the Clearway range it has a notably transparent sound and carries digital signals with a high degree of accuracy.	0.75m:145,00 1.5m: 195,00 3m: 290,00 5m: 415,00
	Clearway Streaming Clearway Streaming cable has been designed to virtually eliminate the pickup of external high-frequency noise that can interfere with your enjoyment of streamed digital audio and video. Noise can find its way into the signal grounds and affect the performance of both digital and analogue circuits. Although the digital information is very robust this unwanted noise can compromise the final performance.	0.75m: 155,00 1.5m: 180,00 3m: 225,00 5m: 290,00 10m: 445,00 15m: 600,00 20m: 755,00
	Clearway HDMI Highly shielded HDMI cable with Ehternet/audio return, nickel-shielded plugs, increased bandwidth and thicker high-quality copper conductors coated with a skin/foamed polyethylene insulation. Clearway HDMI supports 10K at 30Hz, 8K at 60Hz, 4K at 120Hz, 48GBps, Dynamic HDR, HDCP2.2, eARC, 3D and all HDMI audio formats.	0.75m: 95,00 1.5m: 115,00 2m: 130,00 3m: 160,00 5m: 220,00 8m: 310,00 10m: 370,00
	ClearwayX speaker cable What Hi-Fi? Best Speaker Cable award 2015, 2016 and 2017. 14 AWG multi- strand oxygen-free copper conductors. XLPE insulation. Conductors arranged in twisted-pair configuration. Soft PVC internal jacket and twin contra-wound foil shields to protect from high-frequency noise. Available with ChordOhmic speaker connectors featuring our latest ChorAlloy™ plating.	2m pair 4 mm banana : 250,00 3m pair 4mm banana : 305,00 Extra mono meter: 27,50 Spades €6 / piece extra





Clearway		Prices from (€)
	<b>Clearway Power Cable EU</b> Chord Company Clearway Power is the perfect first stage power supply upgrade for any level of system. Clearway Power is a unique Chord Company design, hand-built and rigorously tested in the UK. The unique and highly effective dual-foil screen, combined with the high-purity multi- strand copper conductors and high-spec plugs has allowed us to offer an impressive level of performance at an affordable price. Available with C7 (figure 8), C13 (10 Amp) and C19 (16 Amp) connectors.	1m: 165,00 1,5m: 195,00 2m: 225,00 3m: 285,00 FIG8 1m: 225,00 FIG8 1.5m: 260,00 FIG8 2m: 290,00 FIG8 3m: 350,00 Extra m: 65,00





Shawline		Prices from (€)
	ShawlineX ARAY Analogue RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm Unique Tuned ARAY technology. Upgraded with the latest XLPE-insulated silver-plated conductors. Multiple shielding material works over a wide bandwidth and reduces noise. ChorAlloy™plated VEE 3 RCA, DIN, mini- jack or XLR connectors. A great all-rounder, consistently well reviewed by the hi-fi press. 2 RCA to stereo minijack version also available. DIN is well suited for Naim and Quad systems.	0.5m: 265,00 1m: 330,00 Extra m: 125,00 T/table fly lead 1.2m: 375,00
	ShawlineX ARAY Analogue subwoofer Silver-plated conductors, upgraded with the latest XLPE-insulation and high-frequency effective, multi-layer shield. Fitted with ChorAlloy™plated VEE 3 RCA plugs. Features Tuned ARAY conductor geometry.	3m: 290,00 5m: 415,00 Extra m: 65,00
	ShawlineX ARAY Analogue XLR All Tuned ARAY cables require a high degree of precision, only achieved with painstaking hand assembly. The upside of this process is that it allows us to add the extra conductors needed to build an exceptional XLR cable. Now upgraded with XLPE-insulation and ChorAlloy™plated connector pins.	0.5m: 415,00 1m : 480,00 Extra m: 130,00
	Shawline Digital RCA / BNC / USB Hearing what the bass and drums are doing is great, but it's pointless if they're not doing it together. The Shawline Digital brings coherence to the detail. A redesign of Shawline Analogue, but with the same Tuned ARAY conductor configuration. Fitted with ChorAlloy <sup>™</sup> plated plugs.	0.5m: 265,00 1m: 325,00 Extra m: 125,00 1m 2BNC-Minijack (M Scaler): 650,00 Extra m: 250,00
$\bigcirc$	Shawline Streaming High-speed, silver-plated copper conductors. Individually shielded twisted conductor pairs with overall shield. FEP insulation. 24ct. gold-plated signal contacts. Over-moulded shielded zinc plug surround. Custom lengths built to order.	0.75m: 310,00 1.5m : 355,00 3m: 450,00 5m: 575,00
	Shawline HDMI Shawline HDMI AOC uses a high-quality chipset at both ends of the cable and the highest OM3 grade (over 10 Gigabit bandwidth) glass fibres rather than the typical OM2 (up to 1 Gigabit bandwidth). Alongside the full 4K/8K HDR picture quality, this premium high-speed cable benefits from improved audio performance and is heavily shielded against HF noise.	1m 250,00 2m 265,00 3m 280,00 5m 300,00 8m 340,00 10m 365,00 15m 425,00 20m 490,00
	ShawlineX speaker cable Silver-plated, 16 AWG oxygen-free copper. Similar spec' to the famous Chord Rumour, but enhanced with high- density, dual-layer shielding, LSOH internal jacket and PVC outer jacket to reduce mechanical noise. Available with factory-fitted ChordOhmic silver-plated speaker connectors.	2m pair 4 mm banana : 360,00 3m pair 4mm banana : 470,00 Extra mono meter: 55,00 Spades €6 / piece extra
	<b>Shawline Power EU</b> A high-specification mains cable design that evolved from the previous Power Chord, now featuring an improved, thicker stranded conductor. The shielding also benefits from a redesigned, higher gauge braid wire. Also available in custom lengths, European (Schuko) mains plug available with C7 (figure 8), C13 (10 Amp) and C19 (16 Amp) connectors.	1m: 325,00 1.5m: 390,00 2m: 455,00 FIG8 1m: 390,00 FIG8 1.5m: 455,00 FIG8 2m: 520,00 Extra m: 130,00





Epic		Prices from (€)
	EpicX aRAY Analogue RCA/DIN/4DIN/2RCA-2XLR/250/300/3.5mm EpicX ARAY features our unique ARAY conductor technology, the latest XLPE insulation and is fitted with ChorAlloy <sup>™</sup> plated VEE 3 RCA plugs. EpicX ARAY is built from heavy gauge silver-plated, multi-strand, oxygen- free copper conductors. Detailed performance, but conveys the extra information with coherence. Genuinely musical and involving sound.	0.5m: 525,00 1m: 650,00 Extra m: 250,00 T/table flylead 1.2m: 750,00
	EpicX Analogue Subwoofer High-quality subwoofer cable now featuring XLPE insulation and ChorAlloy™plated VEE 3 RCA plugs. Available in 3m, 5m and custom lengths/terminations to order. Designed to complement the Epic range and enhance any high-spec music/TV/movie/game/multi-channel system. Built by hand at The Chord Company with unique ARAY conductor geometry and fitted with ChorAlloy™ plated Chord VEE 3RCA plugs.	3m: 575,00 5m: 825,00 Extra m: 125,00
AL RO	EpicX ARAY Analogue XLR pair Hand-built with the same XLPE insulated internal conductors as EpicX RCA. Design adapted to include an extra conductor to produce the optimum (neutral, transparent) performance for XLR-fitted equipment. XLR connectors with ChorAlloy™plated connector pins.	0.5m: 825,00 1m: 950,00 Extra m: 250,00
	Epic Digital RCA / BNC / XLR(AES-EBU) Silver-plated, Tuned ARAY conductors and dual foil screen. Listen for better stated rhythm and the critical micro details that mean so much to music. Fitted with ChorAlloy™ plated RCA, BNC or XLR connectors.	0.5m: 525,00 1m: 650,00 Extra m: 250,00
: Openno	Epic USB Bridges the gap between the Shawline and Signature ranges. Benefits from the unique Chord Co Tuned ARAY conductor technology and enhanced screening/shielding materials that help to reduce interference. This cable also benefits from refined USB connectors (type A and B), ChorAlloy <sup>™</sup> plated to our specifications in the UK, with all connections soldered by our engineers.	1m: 650,00 Extra m: 250,00
A ST	<b>Epic Streaming</b> Developed for and tested with digital audio streamers. High-quality silver- plated conductors, high-speed insulation materials, high-density separate pair /overall shielding. Tuned ARAY conductor geometry. Precision RJ45 connectors, modified to allow direct soldering of conductors to contact pins.	1m: 650,00 Extra m: 125.00
	EpicX speaker cable Based on the multi-award-winning Chord Odyssey speaker cable. 12 AWG oxygen-free copper negative and positive conductors, silver-plated and insulated with XLPE. High-frequency combination shield of overlapped high-density foil and tight-weave metal braid. Outer PVC jacket provides mechanical damping. Available with ChordOhmic speaker connectors that benefit from our latest ChorAlloy <sup>™</sup> plating.	2m pair 4 mm banana : 540,00 3m pair 4mm banana : 740,00 Extra mono meter: 100,00 Spades €6 / piece extra
	<ul> <li>EpicXL speaker cable</li> <li>Similar spec to Epic, but further enhanced with separately shielded positive and negative conductors. Optimum twist applied before secure clamping. Built to order in terminated sets. Every set of EpicXL speaker cable is built to order and terminated at our UK factory with ChordOhmic 4mm banana plugs or ChordOhmic spade connectors.</li> </ul>	2m pair: 1000,00 3m pair: 1500,00 5m pair: 2500,00 Extra mono m: 250,00
	<b>Epic Power cable EU</b> Chord Company Epic Power is a high-specification mains cable for hi-fi and audiovisual systems. Hand-built in the UK, the design incorporates our unique ARAY conductor technology and is available fitted with high-spec 10 or 16 amp IEC or Fig8 connectors and Euro mains connectors.	1m: 650,00 1.5m: 775,00 2m: 900,00 3m: 1150,00 FIG8 1m: 715,00 FIG8 1.5m: 840,00 FIG8 2m: 965,00 FIG8 3m: 1215,00 Extra m: 250,00





Signature		Prices from (€)
	SignatureX Tuned ARAY Analogue RCA/DIN/4DIN/2RCA-2XLR/250/300 A design perfected for 25 years, continuous development and taking advantage of the latest technological improvements keep it at the cutting edge. Separately shielded silver-plated conductors. Tuned ARAY conductor geometry. XLPE insulation. Dual-layer foil and high-density braid. Shielding effective to very high frequencies. FEP conductor outer jackets. High- performance Chord PTFE plug surrounds. Tonearm version from 1.2m, fitted with straight or right-angle connectors. RCA/XLR/DIN connectors feature ChorAlloy <sup>™</sup> plated contact areas.	1m: 1300,00 Extra m: 650,00 Tone arm to RCA 1.2m: 1450,00
	SignatureX Tuned ARAY Analogue Subwoofer Dedicated Signature subwoofer cable designed with all the technology of the analogue Signature range. Designed for mid-to high-end surround/ multi-channel systems. Available to order in custom lengths and a variety of terminations.	3m: 1300,00 Extra m: 325,00
	SignatureX Tuned ARAY Analogue XLR Two signal wires carry the hot (in phase) and cold (out of phase) signals, with a third identical conductor to carry the earth/return signal. This takes the shield out of the circuit, reducing unwanted interference. Now featuring XLPE insulation and ChorAlloy <sup>™</sup> contact plating.	1m: 1975,00 Extra m: 975,00
	Signature Digital RCA / BNC / XLR(AES-EBU) Super ARAY conductor geometry. Fitted with PTFE RCA plug surrounds and/or high-quality 75-ohm BNC plugs. AES/EBU version also available. Ultra low mass ChorAlloy <sup>™</sup> plated RCA connectors with precision machined PTFE plug surround. Also available fitted with high performance BNC connectors or configured for AES EBU.	1m: 1300,00 Extra m: 650,00
: Dans	Signature Super ARAY USB Four separately shielded, silver-plated bi-conductors, insulated with PE/ LDPE/PE TRI. Fitted with dual layer high-frequency effective shielding and Super ARAY conductor geometry. The 5V cables are silver-plated copper with tri-layer PE/LDPE/PE insulation and foil shield. All connections are soldered. USB plugs are ChorAlloy <sup>™</sup> plated to our specification in the UK.	1m: 1300,00 Extra m: 650,00
9	Signature Streaming Precision RJ45 connectors (gold-plated contacts and soldered conductors) are used, along with the unique hard skin insulation. Heavy-gauge silver-plated conductors and an effective shielding system. Super ARAY conductor geometry - developed specifically for streaming cables.	1m: 1300,00 Extra m: 250,00
	SignatureXL speaker cable The latest version of what was our first shielded speaker cable. An instant success when launched and still a hi-fi press champion. Individually shielded, silver-plated high-purity oxygen-free copper conductors, XLPE insulation, twisted and clamped. Built to order in terminated sets. Standard colours are red and black or all-black. Built with factory- fitted ChordOhmic ChordOhmic 4mm banana plugs or ChordOhmic spade connectors.	2m pair 2000,00 3m pair 3000,00 5m pair 5000,00 Extra mono m 500,00
	Signature speaker links Designed to replace the pressed-metal versions used to bridge inputs on bi-wireable speakers. Easy to fit and can bring startling improvements to sound quality. Design is based closely on Chord Signature speaker cable but will work with any speaker cable. Featuring the latest, hi-tech ChordOhmic 4mm plugs/spades.	4x spade to 4mm - 4x spade to spade: 375,00
	SignatureX Power cable SignatureX Power cable is designed, hand built and tested in the UK and benefits from the latest XLPE insulation. Consistently high-quality performance in any environment and across all audio/video applications. Alongside the unique Chord Company ARAY geometry this upgraded mains cable features significantly heavier-gauge conductors meaning less resistance and greater efficiency.	1m: 1300,00 1.5m: 1625,00 2m: 1950,00 2.5m: 2275,00 3m: 2600,00 Extra m: 650,00





Sarum T		Prices from (€)
	Sarum T Analogue RCA/DIN/4DIN/2RCA-2XLR/250/300 Common to the entire Sarum T portfolio, the unique Chord Company Taylon® insulation brings the proven advantages of phase stability to a far more affordable price point. Unique Super ARAY conductor geometry and high-performance Chord Company PTFE plug surrounds ensure Sarum T comes a close second to the flagship ChordMusic. Also available as a tonearm version (from 1.2m).RCA/XLR/DIN connectors feature ChorAlloy <sup>™</sup> plated contact areas.	RCA 1m: 2650,00 Extra m: 1300,00 Tonearm 1.2m: 2900,00 Extra m: 1300,00
	Sarum T Analogue XLR Hand-made construction, like its range stablemates, the Sarum T design and its myriad benefits make for an exceptional XLR cable. The hand- building process allows the factory technicians to carefully adapt the conductor layout for the XLR configuration. High-performance plugs offer a reassuringly secure connection to a standout balanced cable.	1m: 3950,00 Extra m: 1875,00
All & mail	Sarum T Digital RCA / BNC / XLR(AES-EBU) The proprietary Chord Company Taylon® insulation and Super ARAY conductor technology is as relevant in digital cables as it is analogue – possibly more so, given the growing amount of digital sources. Trust Sarum T Digital with signal-carrying duties for complete assurance of unadulterated transfer to and from digital devices without phase issues compromising sound quality.	1m: 2650,00 Extra m: 1300,00
No. of Street, or other	Sarum T USB USB cables built with Sarum T technologies deliver digital music at the highest level, surpassed only by the flagship ChordMusic USB. ChorAlloy™ plated USB plugs built to Chord Company's specification ensure perfect synergy with the hand-made interconnect, featureing four separately shielded silver-plated conductors, protected with our advanced Taylon® insulation for unrivalled phase stability.	1m: 2650,00 Extra m: 1300,00
and a constant	Sarum T Streaming Protecting digital source signals is vitally important and Sarum T Streaming brings the advanced phase stability of our unique Taylon® insulation to streaming devices everywhere. Precision-made RJ45 connectors with gold-plated and soldered conductors, plus streaming-specific Super ARAY conductor geometry to ensure the benefits of this unique technology.	1m: 2650,00 Extra m: 1300,00
	Sarum T speaker cable The original Sarum speaker cable was designed to neither add nor subtract from the signal, and Sarum T speaker progresses the original brief, adding new materials and techniques to advance its capabilities. ChordOhmic loudspeaker plugs upgrated with ChorAlloy™ plating, a dedicated clamp, silver-plated ribbon braid and a heavy foil shielding – all part of our ongoing obsession with the best possible sound.	2m pair 4000,00 3m pair 6000,00 5m pair 10000,00 Extra mono m 1000,00
	Sarum T speaker links High-performance bi-wire speaker links to optimise performance where bi-wire speaker block terminals are used. Fitted with the next-generation, high-performance ChordOhmic banana plugs and spade connectors with ChorAlloy plating, the Sarum T speaker links ensure every drop of performance is extracted from both the speakers and the connecting cable.	Per set of 4: 690,00
Clamber	Sarum T power cable The perfect complement to Sarum T signal-carrying products, the power cable provides a super-high-quality build, with uncompromising materials and shielding to minimise the noise floor. All the internal elements use Taylon® to their best advantage, supplying expensive electronics with essential power. Also available in custom lengths, 10 or 16 amp IEC and with European or USA mains plugs.	1m: 2650,00 Extra m: 1300,00





ChordMusic		Prices from (€)
	ChordMusic Analogue RCA/DIN/4DIN/2RCA-2XLR/250/300 The most advanced Chord Company analogue interconnect in the company's history; the flagship analogue product for uncompromising signal transfer. Proprietary Taylon® phase-stable insulation, a specifically customised version of our unique Super ARAY conductor, plus the finest materials and craftmanship available. Each cable is built by hand to order. RCA/XLR/DIN connectors featureChorAlloy <sup>™</sup> plated contact areas.	1m: 5250,00 Extra m: 2650,00 Tonearm lead SLIM 1.2m: 5775,00
	ChordMusic Analogue 2XLR - 2XLR With much high-end audio equipment also offering balanced connectivity options, ChordMusic XLR is an obvious choice. Hand-built to order, allowing the XLR wiring configuration to be carefully implemented, the balanced cable is the finest example of its kind in the portfolio. Taylon® phase-stable insulation perfectly complements the unique Super ARAY conductor technology. XLR connectors featureChorAlloy <sup>™</sup> plated contact areas.	1m: 7875,00 Extra m: 3975,00
	<b>ChordMusic Digital RCA / BNC / XLR (AES/ EBU) / USB</b> The finest digital cables in the portfolio, ChordMusic Digital delivers the finery of binary in its full undiluted glory. A digital cable that neither adds or extracts to the signal, it's a digital cable that carries music with a degree of accuracy that makes it as thrilling and profound as the analogue cables. Electrical digital never sounded so good.	1m: 5250,00 Extra m: 2650,00
	<b>ChordMusic Digital Streaming</b> ChordMusic Streaming cable delivers the very best performance to and from streaming-enabled hardware, where the preservation of the original file is of utmost importance. ChordMusic's various technologies align for high-end audio streaming, bringing the benefits of the flagship Taylon® insulation and the Super ARAY conductor configuration.	1m: 5250,00 Extra m: 2650,00
	<b>ChordMusic speaker cable</b> High-end loudspeakers are a significant audio investment and feeding them with the best quality signal from the amplifier is critical for performance. The introduction of the phase-stable Taylon® insulation produces the most natural and uncoloured speaker cable possible. ChordMusic features Tuned ARAY conductor geometry, with obvious clarity and transparency benefits.	2m pair: 8000,00 3m pair: 12000,00 5m pair: 20000,00 Extra mono m: 2000,00
	<b>ChordMusic speaker links</b> With most high-end speakers worthy of ChordMusic speaker cable having multiple drivers and bi- or even tri-wiring options, ChordMusic bi-wire speaker links provide a suitably high-end solution to the basic pins provided with the speaker terminal blocks. Designed to complement the speaker cables, the bi-wire links help deliver the full performance capability of the cable engineering.	Per set of 4: 1250,00
Circuit a	<b>ChordMusic power cable - UK/European/USA/Aus mains plugs, 10 or16 amp IEC</b> The flagship power cable, ChordMusic Power contains all of Chord Company's 'mains' cable know-how, gained over 35 years of UK cable manufacturing. A hybrid design using differing internal cables, shielding and ARAY configurations. All the internal elements use Taylon® and this insulation, combined with the optimum shielding design, redefines the musical performance.	1m: 6250,00 Extra m: 2650,00





Burndy		Prices from (€)
	ChordBurndy TYPE 3	1.23m*: 2995,00
	ChordBurndy TYPE 4	1.23m*: 3895,00
	ChordBurndy 555 (No.2)	1.23m*: 2200,00
	ChordBurndy 555 (No.1)	1.23m*: 3025,00
	ChordBurndy SXPS	1.23m*: 3325,00
	ChordBurndy CDS	1.23m*: 3875,00
	ChordBurndy 252	1.23m*: 4425,00
	ChordBurndy 52-52PS	1.23m*: 4500,00
	ChordBurndy 52-SuperCap	1.23m*: 5275,00
	ChordBurndy Snaxo - SuperLine	1.23m*: 4500,00
	ChordBurndy 552	1.23m*: 4500,00
	ChordBurndy 300 Pair	1.23m*: 4400,00
	ChordBurndy 500 Pair	1.23m*: 5500,00
		* 1.23m standard, additional length on request
	<b>Burndy Bridge</b> The Chord Company Bridge upgrades the lightweight, unshielded shorting plug supplied with audio streaming equipment, offering a no-compromise, noise-reduced connection. It features a machined heavy-gauge aluminium case for both acoustic and electrical isolation. The Taylon® insulated wiring and resin-dampened internal assembly further increase this isolation.	625,00
	<b>GroundAray</b> Reduces the noise level in hifi products. Simply connect GroundARAY to an empty socket on your hifi equipment. The advanced technologies provide a very low-impedance, high-bandwidth route for HF noise to pass into, effectively 'pulling' noise from the signal ground of the host equipment. Works with different types of A/V equipment, available with different plug adaptors: RCA; DIN; BNC; RJ45; USB Type-A and XLR male and female.	690,00
Contraction of the second	<b>PowerAray EU</b> Chord Company PowerARAY is a next-generation noise reduction/absorption device. PowerARAY can be connected to unused mains power sockets (wall or distribution block) adjacent to those used to power your hi-fi equipment, providing a low-impedance escape route for HF noise, reducing the amount entering a hi-fi system, lowering the noise floor and leaving more space for the music.	690,00
23 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<b>PowerHaus</b> The Chord Company PowerHAUS mains block is the distillation of decades working with signal and power transfer and benefits from a unique version of our acclaimed ARAY technology (MainsARAY) which has been specially adapted for power distribution.	PowerHaus So mainsbloc 1600,00 PowerHaus Mo mainsbloc 3200,00





Legacy / AV speaker cable		Prices from (€)
	LeylineX LSOH speaker cable Cost-effective, high-performance, easy to fit, multi-room speaker cable, now featuring improved XLPE dielectric. LeylineX is perfect for rear and surround speakers in home cinema set-ups and audio systems needing long runs.	P.O.A.
	Sarsen speaker cable Near-invisible speaker cable that won't spoil the sound of a decent hi-fi system. Flexible enough to fit between carpet and skirting board. Perfect for music lovers who think speaker cable should be heard and not seen.	Per m: 13,00 3m pair: 220,00 Termination with spades 48,00 extra
	<b>RumourX speaker cable</b> 6mm diameter, neutral and natural speaker cable. Part of our speaker cable range for 20+ years. Good enough to find its way into everything from lifestyle to seriously high-end audio systems.	Per m: 22,00 3m pair: 272,00 Termination with spades 48,00 extra
	OdysseyX speaker cable A heavier gauge version of Chord Rumour. Higher performance that brings control to pretty much any pair of speakers.	Per m: 37,50 3m pair: 356,00 Termination with spades 48,00 extra
	<b>ChordOhmic 4mm plug termination kit</b> Sometimes it's not possible to use a pre-terminated speaker cable. Next best option is a set of our unique design 4mm banana plugs. High performance silver-plated copper. Spade plugs also available.	4mm each: 12,00 4mm set of 4: 48,00 4mm set of 8: 96,00 Spades each: 18,00

Silent mounts (loudspeaker/equipment isolation mounts)		Prices from (€)
Stort Heli SALS	<b>Silent Mount (stainless steel)</b> 4 x stainless steel spike mounts for racks or loudspeakers. Hand-crafted in Japan. Available in 50mm and 70mm diameter (for loudspeakers etc).	4 × 50mm dia: 500,00 4 × 70mm dia: 575,00
Arrent Control of Cont	<b>Silent Mount (titanium)</b> 4 x titanium spike mounts for racks and components. Hand-crafted in Japan. 50mm diameter.	4 × 50mm dia: 820,00

Cream Instrument cable		Prices from (€)
	<b>Cream instrument cable</b> A well designed, hand-built cable while most other instrument cables are cost-orientated. If you want to hear more of what you're playing, Cream is the cable to use. Available with straight or right-angle jacks in 3m, 6m or custom lengths. Patch leads and high quality mic leads also available.	3m: 70,00 6m: 82,00 Extra m: 15,00
OT	<b>Epic head-to-stack cable</b> The finest way of connecting your guitar amp to the speaker cabinet. Do not use instrument cable as it will sound poor and possibly damage your equpment. Available+H23:H30 with jack, XLR and Speakon connectors.	1m: 165,00

English Electric		Prices from (€)
100 - 100 -	<b>EE 8Switch – 8-way network switch</b> 8 Port Audio Grade Network switch supplied with 0.75cm C-stream cable	599,00
A REAL PROPERTY OF	<b>EE 16Switch – 16-way network switch</b> 16 Port Audio Grade Network switch supplied with 0.75cm C-stream cable	1200,00